

49. (previously amended) The system of claim 48 in which the server is electronically accessible through the Internet.

50. (reiterated) The system of claim 48 in which the server is electronically accessible through an internal network.

51. (previously amended) The system of claim 48 in which the server is electronically accessible to users of a particular product, service, software, or information.

52. (reiterated) The system of claim 48 in which the value information comprises value judgments.

53. (reiterated) The system of claim 48 in which the value information comprises navigational pointers that point to information that a user has determined to be useful.

54. (amended) The system of claim 48 in which each of the client systems includes a software application that embeds a pointer to the server that enables a user to invoke the server directly from the software application to obtain value information related to the use of the client system.

55. (twice amended) The system of claim 54 in which the pointer is automatically displayed during use of the client system.

56. (amended) The system of claim 48 in which the server prompts at least some of the client systems to supply additional value information to the server.

57. (amended) The system of claim 48 in which the server receives information from a client software application that periodically supplies additional value information to the server.

58. (twice amended) The system of claim 48 in which the server initiates delivery to the client systems of value information concerning products, services, software, or information of interest to the users of the client systems.

59. (reiterated) The system of claim 48 in which the value information is continually updated.

60. (previously amended) The system of claim 48 in which the server provides addresses of, and at least one of rankings, comments, and ratings of the products, services, software, or information.

61. (twice amended) The system of claim 48 in which the software is further configured to detect uses by a user of the products, services, software, or information.

62. (twice amended) The system of claim 61 in which the software is further configured to prompt the user for an assessment of the value of the products, services, software, or information used.

63. (twice amended) The system of claim 62 in which the assessment information is returned to the server from the client system.

64. (twice amended) The system of claim 62 in which the assessment information is stored at the client system and periodically returned to the server from the client system.

65. (amended) The system of claim 48 in which the server collects value information when at least one of the following occurs:

- a user uses the products, services, or information on-line,
- a user uses the products, services, or information from versions that are downloaded to the client system, and
- another server shares the value information with the server.

Part 1

66. (amended) The system of claim 48 further comprising presenting distributed value information to a user in a style comprising: text, lists, charts, views, arrangements, hierarchies, graphical maps, sample extracts, abstracts, summary descriptions, or hypertext.

Sub F2

67. (three times amended) A system comprising:
a digital medium storing information generated by independent users about the value of products, services, software, or information, the medium being coupled to an electronic communication network; and
an electronic communication interface that receives the information from the users to the digital medium and sends stored value information from the medium to the users in response to actions of the users.

68. (reiterated) The system of claim 67 in which the users generate the new value information interactively while using the stored value information.

69. (reiterated) The system of claim 67 further comprising digital filters configured to identify patterns of sources of value information and fetch the identified information over the network.

70. (reiterated) The system of claim 69 in which the services comprise video or music, the value information concerns the content of the video or music, and the filter controls the display of video or music based on the content represented in the value information.

Sub F3

71. (amended) The system of claim 69 in which the filters provide information to the server about user preferences, and the server makes the information available to vendors of products, services, or information.

72. (twice amended) A method in which a user of a commodity records value information on a client device about the commodity that is based on use of the commodity, the client device sends the information to a server for storage, the client device receives from the server additional value information recorded by other users, in response to an event based on the user's interaction with the commodity, and the client device presents the additional value information to the user in the course of the user's interaction with the commodity.

73. (amended) The system of claim 48, wherein the stored value information comprises customer desires or user-set preferences.

74. (amended) The system of claim 48, wherein the trigger is indicated by customer desires or user-set preferences.

75. (amended) The system of claim 48, wherein the trigger comprises use of a product, service, or software feature.

SUB
X4
76. (amended) The system of claim 48, wherein the value information obtained from the client system is obtained from passive evaluation.

77. (amended) The system of claim 48, wherein the value information distributed to one of the client systems comprises value information received from another client system.

78. (amended) The system of claim 48, wherein the value information distributed to one of the client system comprises instructions for use of the respective products, services, software, or information. --

Please add claims 79-99.

-- 79. (new) The system of claim 48 in which the trigger comprises premature termination of a product, service, or software feature.

80. (new) The system of claim 48 in which the trigger comprise an exception resulting from use of a product, service, or software feature.

81. (new) The system of claim 48 in which the trigger comprises a user-initiated help request during use of a product, service, or software feature.

82. (new) The system of claim 66 in which the style comprises hypertext.

83. (new) The system of claim 76 in which the value information comprises usage logs.

84. (new) The system of claim 76 in which the value information comprises information about user comprehension.

85. (new) The system of claim 76 in which the value information comprises information about user performance.

86. (new) The system of claim 48 in which the value information comprises usage logs.

87. (new) The system of claim 48 in which the value information comprises information about user comprehension or performance.

88. (new) The system of claim 48 in which the software is further configured to share information with another server.

89. (new) The system of claim 67 further comprising filters configured to identify patterns of sources of value information.

90. (new) The method of claim 72 in which the device comprises software.

91. (new) The method of claim 72 in which the device is part of the commodity.

92. (new) The method of claim 72 in which the device stores a script for probing a user for value information.

93. (new) The method of claim 92 in which the device receives the script from the server.

94. (new) The method of claim 72 in which the value information guides the users interaction with the commodity.

95. (new) The method of claim 72 in which the event is a user request.

96. (new) The method of claim 91 in which the event is an exception resulting from use of the commodity.

97. (new) The system of claim 67 in which the actions are user requests.

98. (new) The method of claim 48 in which the trigger is a preset periodic trigger.

99. (new) The method of claim 48 in which the trigger is activated by a client system threshold. --

In the abstract:

Please replace the abstract with the following.

-- An electronically accessible server receives, stores, and sends value information from customers. The server or other digital medium stores the value information

Applicant : Daniel H. Abelow
Serial No. : 09/369,391
Filed : August 6, 1999
Page : 8

Attorney's Docket No.: 03058-004002

013
Dw
generated by independent users. Triggers or interactions can be used to determine when value information would be useful for a user of a client system. The value information can include customer assessments, usage frequency, navigational pointers, executable program code, instructions, product information, and service information. A digital medium is used to store value information generated by independent users. The medium can be coupled to an electronic communication network to allow for interchange of information. --

An additional copy of the new abstract on a clean sheet is enclosed herewith.

In the title:

Please substitute the title with the following:

-- Product Value Information Interchange Server --